

APPLICATION NOTE A064-ME09-0916A

Medical Gas Consumption and Counting

Our **MASS-STREAM** mass flow meters and controllers are available for flow ranges from 10 ... 200 mln/min up to 500 ... 10000 ln/min Air equivalent. The majority of instruments for gas consumption measurement are sold with our optional multi-functional display.

This application notes features improved management of medical gas consumption.



Medical applications

On primary networks

- Separated invoicing for hospital/clinics/laboratories departments sharing the same source of medical gas
- Monitoring and consumption data acquisition
- Leaks detection on gas line, on safety vent and on medical gas source

On secondary networks

- Independent gas consumption invoicing between the health institution departments
- Overconsumption and leak detection


Fields of application

- Hospital institutions and clinical installations
- Gas consumption and distribution
- Research laboratory
- Pharmaceutical industry
- Leakage detection in gas lines

Process solution

Material features

- Wetted part: stainless steel 316 and EPDM
- Standard degreased instrument (for all gases)
- Electromagnetic compatibility (CE labeling)
- Thru-flow measurement (no by-pass)
- No moving parts inside
- Optional fittings in stainless steel
- Optional display



Available gases

- Medical air
- Nitrogen N₂
- Oxygen O₂
- Nitrous Oxide N₂O
- Carbon Dioxide CO₂
- ...

Schematical drawing

Recommended Products



MASS-STREAM D-6310 MFM

Min. Bereich 0,01...0,2 l/min
Max. Bereich 0,1...2 l/min
Druckstufe bis zu 20 bar
Robuster Sensor, IP65 Gehäuse
Option: integriertes TFT-Display



MASS-STREAM D-6341 MFC

Min. Bereich 0,14...7 l/min
Max. Bereich 1...50 l/min
Druckstufe bis zu 20 bar
Robuster Sensor, IP65 Gehäuse
Option: integriertes TFT-Display



BRONKHORST (SCHWEIZ) AG

Gewerbestrasse 7

4147 Aesch BL (CH)

Tel. +41 61 715 90 70

info@bronkhorst.ch